

 KRONOS  <i>Together, Serving Up World Flavors.</i>	FINISHED PRODUCT SPECIFICATION	
	Document:	Research and Development
Effective Date: 09/22/2022	Program:	Specification Program
Revised By: <i>Nancy Zuniga</i>	Location:	GDF/Tonne
Approved By: <i>Nick Spondike, Chief Innovation Officer</i>		

Item Name: CLASSIC HUMMUS 2/4 lbItem Number: HUK383452Formula Number: SBH000042

UNIT NET WEIGHT			
4.00 lbs		1.81 kg	
PRODUCT SPECIFICATION			
	MINIMUM	TARGET	MAXIMUM
pH	3.80	4.40	4.6

ITEM DESCRIPTION

Flavor: Fresh Chickpeas with a touch of Garlic and Tahini Flavor**Physical Description:** Smooth to Grainy Texture and with a Creamy Spread**Color:** Tan to an earthy light brown color

ITEM PACKAGING

Primary Packaging:	Printed Tub and Printed Lid	Primary Label Type:	PRINTED MASTER CASE
Cases Per Pallet:	150 Cases	No. of Tubs / Case:	2 Tubs / 4 lb each
Rows Per Pallet (Hi):	10 High	Case Gross Wt. (lbs):	8.50 lbs
Cases Per Row (Ti):	15 Cases Per Layer	Case Gross Wt. (kg):	3.86 kg
Case Dimensions (Inches):	14.000 x 7.375 x 5.375 in.	Case Net Wt. (lbs):	8.00 lbs
SEC Code Number:	100 77589 37452 2	Case Net Wt. (kg):	3.63 kg
UPC Number:	077589384425	Cases Cube (Cu. Ft.):	0.32 Cu. Ft.
Pallet Weight (lb & kg):	1325 lb (601 kg)	Pallet Pattern Height (In.):	58.75 in.

STORAGE & SHELF LIFE & CODE DATE FORMAT

Storage Conditions:	REFRIGERATED (40° F)	Distributed:	REFRIGERATED: (40° F)
Shelf Life from Production:	REFRIGERATED (40° F) 120 Days	Code Date Format:	Use By & Code Date On Containers & Master Boxes

EXAMPLE: Manufacturing: 22001

Example: 22 (Year) 001
(Julian Date)Use By: DEC 01 20 =
MMM DD YYVIDEOJET ON CONTAINERS & MASTER BOXES
"PRODUCT OF USA"

Certified Kosher
YES

Certified Halal
NO

Certified Organic
NO

Certified CN
NO



INGREDIENT STATEMENT

INGREDIENTS: CHICKPEAS (CHICKPEAS, WATER), WATER, OLIVE OIL, SOYBEAN OIL, CANOLA OIL, AND/OR SUNFLOWER OIL, SESAME TAHINI, CONTAINS LESS THAN 2% OF SEA SALT, CITRIC ACID, SPICES, NATURAL ROASTED GARLIC FLAVOR, SODIUM BENZOATE AND POTASSIUM SORBATE (TO PRESERVE FRESHNESS).

CONTAIN: SESAME SEEDS

 grecian delight <i>Together, Serving Up World Flavors.</i>		FINISHED PRODUCT SPECIFICATION	
		Document:	Research and Development
Effective Date: 09/22/2022		Program:	Specification Program
Revised By: <i>Nancy Zuniga</i>		Location:	GDF/Tonne
Approved By: <i>Nick Spondike, Chief Innovation Officer</i>			

NUTRITIONALS PER SERVING SIZE

Recommend Serving Size: 2 Tbsp (28g)
Servings Per Container: About 65



Nutrition Facts

65 servings per container	
Serving size	2 Tbsp (28g)
Amount per serving	
Calories	80
% Daily Value*	
Total Fat 6g	8%
Saturated Fat 0g	0%
Trans Fat 0g	
Cholesterol 0mg	0%
Sodium 110mg	5%
Total Carbohydrate 4g	1%
Dietary Fiber 3g	11%
Total Sugars 0g	
Includes 0g Added Sugars	0%
Protein 2g	
Vitamin D 0mcg	0%
Calcium 16mg	2%
Iron 0mg	0%
Potassium 76mg	2%

*The % Daily Value tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

Nutrient Content Claims Per Serving Size:

Free of Saturated Fat
Cholesterol free
Free of Sodium
Sugar free

"GLUTEN FREE"

ALLERGENS AND OTHER SENSITIVE INGREDIENTS

ALLERGEN	Column I Present in the Product	Column II Present in other products manufactured on the same line	Column III Present in the same manufacturing plant
Peanut	NO	NO	NO
Tree Nuts	NO	NO	NO
Milk and Dairy Products	NO	YES	YES
Eggs	NO	NO	YES
Fish	NO	NO	NO
Shellfish and Molluscs	NO	NO	NO
Soy	NO	YES	YES
Wheat	NO	NO	YES
Sesame Seeds	YES	YES	YES
Sulfites	NO	NO	YES
Monosodium Glutamate (MSG)	NO	NO	YES

 KRONOS 	FINISHED PRODUCT SPECIFICATION	
	Document:	Research and Development
Effective Date: 09/22/2022	Program:	Specification Program
Revised By: Nancy Zuniga	Location:	GDF/Tonne
Approved By: Nick Spondike, Chief Innovation Officer		

NUTRITIONALS VALUES (100g UNROUNDED)

Product: CLASSIC HUMMUS 2/4 lb

Nutrients	Per 100g	Nutrients	Per 100g	Nutrients	Per 100g	Nutrients	Per 100g
Basic Components		Trans Fatty Acid (g)	0.09	Vitamin B12 (mcg)	0.00	Magnesium (mg)	7.09
Gram Weight (g)	100.00	Cholesterol (mg)	0.00	Biotin (mcg)	0.00	Manganese (mg)	0.09
Calories (kcal)	269.84	Water (g)	55.38	Vitamin C (mg)	0.50	Molybdenum (mcg)	0.00
Calories from Fat (kcal)	189.22	Ash (g)	1.54	Vitamin D - IU (IU)	0.00	Phosphorus (mg)	38.16
Calories from SatFat (kcal)	13.72	Insoluble Fiber (g)	0.00	Vitamin D - mcg (mcg)	0.00	Potassium (mg)	270.86
Protein (g)	5.74	Vitamins		Vitamin E - Alpha-Toco (mg)	0.03	Selenium (mcg)	0.11
Carbohydrates (g)	15.01	Vitamin A - IU (IU)	8.39	Folate (mcg)	4.88	Sodium (mg)	393.82
Dietary Fiber (g)	9.79	Vitamin A - RE (RE)	0.00	Folate, DFE (mcg)	4.88	Zinc (mg)	0.25
Soluble Fiber (g)	0.00	Vitamin A - RAE (RAE)	0.26	Vitamin K (mcg)	0.02	Chloride (mg)	0.00
Total Sugars (g)	0.45	Carotenoid RE (RE)	0.00	Pantothenic Acid (mcg)	0.00	Poly Fats	
Monosaccharides (g)	0.00	Retinol RE (RE)	0.00	Minerals		Omega 3 Fatty Acid (g)	0.00
Disaccharides (g)	0.00	Beta-Carotene (mcg)	3.05	Calcium (mg)	57.61	Omega 6 Fatty Acid (g)	0.00
Other Carbs (g)	0.04	Vitamin B1 (mg)	0.06	Chromium (mcg)	0.00	Other Nutrients	
Fat (g)	21.29	Vitamin B2 (mg)	0.02	Copper (mg)	0.08	Alcohol (g)	0.00
Saturated Fat (g)	1.52	Vitamin B3 (mg)	0.29	Fluoride (mg)	0.00	Caffeine (mg)	0.00
Mono Fat (g)	11.12	Niacin Equiv	0.00	Iodine (mcg)	0.00	Choline (mg)	0.00
Poly Fat (g)	7.42	Vitamin B6 (mg)	0.00	Iron (mg)	1.71		


KRONOS

FINISHED PRODUCT SPECIFICATION

Document: Research and Development

Effective Date: 09/22/2022

Program: Specification Program

Revised By: Nancy Zuniga

Location: GDF/Tonne

Approved By: Nick Spondike, Chief Innovation Officer

PALLET PATTERN



E03970-E03971-E03973-E03974v2

Date Printed : 4/11/2022

Last Saved : 4/11/2022

43 7/8 35 7/8	GMA (Notched) 48.000x40.000x5.000 <table><thead><tr><th></th><th>Shipper (ID)</th><th>Shipper (OD)</th><th>UnitLoad (Incl. Pal)</th></tr></thead><tbody><tr><td>Ln:</td><td>13.6250 in</td><td>13.9375 in</td><td>43.875 in</td></tr><tr><td>Wd:</td><td>7.0000 in</td><td>7.3125 in</td><td>35.875 in</td></tr><tr><td>Ht:</td><td>4.6250 in</td><td>5.2500 in</td><td>57.500 in</td></tr><tr><td>Net:</td><td></td><td>8.00 lb</td><td>1200.00 lb</td></tr><tr><td>Grs:</td><td></td><td>8.40 lb</td><td>1325.00 lb</td></tr><tr><td>Cube:</td><td>0.255 ft3</td><td>0.310 ft3</td><td>52.376 ft3</td></tr><tr><td></td><td></td><td>Height Vert</td><td></td></tr><tr><td>Prod.Vol:</td><td>0.000 in3</td><td></td><td>0.000 ft3</td></tr><tr><td>Shipper:</td><td></td><td></td><td>150</td></tr><tr><td>Area Efficiency:</td><td></td><td>0.0 %</td><td>79.6 %</td></tr><tr><td>Cubic Efficiency:</td><td></td><td>0.0 %</td><td>78.9 %</td></tr></tbody></table>		Shipper (ID)	Shipper (OD)	UnitLoad (Incl. Pal)	Ln:	13.6250 in	13.9375 in	43.875 in	Wd:	7.0000 in	7.3125 in	35.875 in	Ht:	4.6250 in	5.2500 in	57.500 in	Net:		8.00 lb	1200.00 lb	Grs:		8.40 lb	1325.00 lb	Cube:	0.255 ft3	0.310 ft3	52.376 ft3			Height Vert		Prod.Vol:	0.000 in3		0.000 ft3	Shipper:			150	Area Efficiency:		0.0 %	79.6 %	Cubic Efficiency:		0.0 %	78.9 %
	Shipper (ID)	Shipper (OD)	UnitLoad (Incl. Pal)																																														
Ln:	13.6250 in	13.9375 in	43.875 in																																														
Wd:	7.0000 in	7.3125 in	35.875 in																																														
Ht:	4.6250 in	5.2500 in	57.500 in																																														
Net:		8.00 lb	1200.00 lb																																														
Grs:		8.40 lb	1325.00 lb																																														
Cube:	0.255 ft3	0.310 ft3	52.376 ft3																																														
		Height Vert																																															
Prod.Vol:	0.000 in3		0.000 ft3																																														
Shipper:			150																																														
Area Efficiency:		0.0 %	79.6 %																																														
Cubic Efficiency:		0.0 %	78.9 %																																														
43 7/8 35 7/8 57 1/2	43 7/8 35 7/8 57 1/2																																																
43 7/8 35 7/8 57 1/2	53 FT. Dry Van 636.00x98.00x110.00 <table><thead><tr><th></th><th>Shipper (OD)</th><th>UnitLoad (Incl. Pal)</th><th>Vehicle Load</th></tr></thead><tbody><tr><td>Ln:</td><td>13.9375 in</td><td>43.875 in</td><td>608.000 in</td></tr><tr><td>Wd:</td><td>7.3125 in</td><td>35.875 in</td><td>96.00 in</td></tr><tr><td>Ht:</td><td>5.2500 in</td><td>57.500 in</td><td>57.50 in</td></tr><tr><td>Net:</td><td>8.00 lb</td><td>1200.00 lb</td><td>36000.00 lb</td></tr><tr><td>Grs:</td><td>8.40 lb</td><td>1325.00 lb</td><td>39750.00 lb</td></tr><tr><td>Cube:</td><td>0.310 ft3</td><td>52.376 ft3</td><td>1942.222 ft3</td></tr><tr><td></td><td></td><td>Height Vert</td><td></td></tr><tr><td>Prod.Vol:</td><td>0.000 in3</td><td>0.000 ft3</td><td>0.000 ft3</td></tr><tr><td>UnitLoads:</td><td></td><td></td><td>30</td></tr><tr><td>Area Efficiency:</td><td></td><td>79.6 %</td><td>92.4 %</td></tr><tr><td>Cubic Efficiency:</td><td></td><td>78.9 %</td><td>48.3 %</td></tr></tbody></table>		Shipper (OD)	UnitLoad (Incl. Pal)	Vehicle Load	Ln:	13.9375 in	43.875 in	608.000 in	Wd:	7.3125 in	35.875 in	96.00 in	Ht:	5.2500 in	57.500 in	57.50 in	Net:	8.00 lb	1200.00 lb	36000.00 lb	Grs:	8.40 lb	1325.00 lb	39750.00 lb	Cube:	0.310 ft3	52.376 ft3	1942.222 ft3			Height Vert		Prod.Vol:	0.000 in3	0.000 ft3	0.000 ft3	UnitLoads:			30	Area Efficiency:		79.6 %	92.4 %	Cubic Efficiency:		78.9 %	48.3 %
	Shipper (OD)	UnitLoad (Incl. Pal)	Vehicle Load																																														
Ln:	13.9375 in	43.875 in	608.000 in																																														
Wd:	7.3125 in	35.875 in	96.00 in																																														
Ht:	5.2500 in	57.500 in	57.50 in																																														
Net:	8.00 lb	1200.00 lb	36000.00 lb																																														
Grs:	8.40 lb	1325.00 lb	39750.00 lb																																														
Cube:	0.310 ft3	52.376 ft3	1942.222 ft3																																														
		Height Vert																																															
Prod.Vol:	0.000 in3	0.000 ft3	0.000 ft3																																														
UnitLoads:			30																																														
Area Efficiency:		79.6 %	92.4 %																																														
Cubic Efficiency:		78.9 %	48.3 %																																														
Notes:																																																	